BUTTERWORTH HEINEMANN

Flow Meas. Instrum., Vol. 6, No. 4, pp. 309–311, 1995
Elsevier Science Ltd, Printed in Great Britain.

Index to Volume 6 (1995)

No 1 pp 1–80
No 2 pp 81–144
No 3 pp 145–256
No 4 pp 257–320

Article Index

Number 1

Intercomparison of measurements and computations of flow through a contraction and a diffuser
E. A. Spencer, M. V. Heitor and I. P. Castro 3
Effects of inlet shapes of critical venturi nozzles on discharge coefficients
K.-A. Park 15
Annular two-phase flow measurements using phase Doppler anemometry with scattering angles of 30° and 70°
C. J. Bates and R. Ayob 21
A gas flowmeter of high linearity
F. Peters and T. Kuralt 29
Non-uniformity in a flow around a yawed circular cylinder
T. Hayashi and T. Kawamura 33
The use of critical flow venturi nozzles with saturated wet steam
A. Amini and I. Owen 41
Turbulence measurements in unsteady free-surface flows
I. Nezu and H. Nakagawa 49
A γ-ray tomographic scanner for imaging voidage distribution in two-phase flow systems
S. B. Kumar, D. Moslemian and M. P. Duduković 61
Technical Note: Further investigation of a floating element flowmeter
U. Bückle, F. Durst, H. Köchner and A. Melling 75

Number 2

Doppler global velocimetry: problems and pitfalls
G. L. Morrison, C. A. Gaharan and R. E. Deotte Jr. 83
Turbulent flow accompanied by Taylor–Goertler vortices in a two-dimensional curved channel
M. Kobayashi and H. Maekawa 93
The orifice plate discharge coefficient equation — further work
M. J. Reader-Harris, J. A. Sattary and E. P. Spearman 101
Sensing field homogeneity in mass flow rate measurement of pneumatically conveyed solids
Yong Yan, B. Byrne and J. Coulthard 115
Heating value, relative density and compression factor for dry or wet natural gas from composition
K. R. Hall and J. C. Holste 121
The wall correction of the hot-wire anemometer
J. C. Gibbings, J. Madadnia and A. H. Yousif 127
Technical Note: Characteristics of thin film probe with temperature compensation
W. K. Chan, C. Y. Liu and Y. W. Wong 137

Number 3

Editorial
147
Weight vector for thermal diffusion flowmeters and Part 2: Application to a particular configuration
J. Hemp 149
The effects of an upstream short radius elbow and pressure tap location on orifice discharge coefficients
J. C. Branch 157
A diagnostic experimental technique for studying coherent structures in plane turbulent wakes
G. A. Kopp, J. G. Kawall and J. F. Keffer 163
Problems encountered during research into flow rate, pattern of water consumption and unaccounted-for water losses in urban areas
D. Hopkins, P. F. Savage and E. Fox 173
Bénard-convection analysis using a new interferometer
K. Wozniak and J. Siekmann 181
A further investigation into flow conditioner design yielding compact installations for orifice plate flow metering
E. M. Laws and A. K. Ouazzane 187
The proximity hot-wire probe for measuring surface shear in air flows
J. C. Gibbings, J. Madadnia, S. Riley and A. H. Yousif 201
Beta ratio, axisymmetric flow distortion and swirl effects upon orifice flow meters
G. L. Morrison, J. Hauglie and R. E. DeOtte, Jr 207
A further study into the effect of length on the Zanker flow conditioner
E. M. Laws and A. K. Ouazzane 217
A preliminary study into the effect of length on the performance of the Etoile flow straightener
E. M. Laws and A. K. Ouazzane 225
Technical Note: Linearity of the vortex meter as a function of fluid viscosity
S. Goujon-Durand 235

Number 4

The weight vector theory of Coriolis mass flowmeters—Part 2. Boundary source of secondary vibration
J. Hemp and L. A. Hendry 259
A new method of two-phase flow measurement by orifice plate differential pressure noise
W. Wenran and T. Yunxian 265
On the yaw-angle characteristics of hot-wire anemometers
A. A. Abdel-Rahman 271
Development of a turbine meter for two-phase flow measurement in vertical pipes
M. W. Johnson and S. Farroll 279
General purpose flow measurement equations for flumes and thin plate weirs
R. Herschy 283
Flow and temperature measurements of two immiscible liquid layers
A. Himmel, U. Bozian, K. Wozniak and J. Siekmann 295
Index to Volume 6 309

Author Index

Abdel-Rahman, A A 271
Amini, A 41

Ayob, R 21

Bates, C J 21
Bozian, U 295
Branch, J C 157
Bückle, U 75
Byrne, B 115

Castro, I P 3
Chan, W K 137
Coulthard, J 115

DeOtte Jr, R E 83, 207
Duduković, M P 61
Durst, F 75

Farroll, S 279
Fox, E 173

Gaharan, C A 83
Gibbings, J C 127, 201
Goujon-Durand, S 235

Hall, K R 121
Hauglie, J 207
Hayashi, T 33
Heitor, M V 3
Hemp, J 149, 259
Hendry, L A 259
Herschy, R 283
Himmel, A 295
Holste, J C 121
Hopkins, D 173

Johnson, M W 279

Kawall, J G 163
Kawamura, T 33
Keffer, J F 163
Kobayashi, M 93
Kopp, G A 163
Köchner, H 75
Kumar, S B 61
Kuralt, T 29

Laws, E M 187, 217, 225
Liu, C Y 137

Madadnia, J 127, 201
Maekawa, H 93
Melling, A 75
Morrison, G L 83, 207
Moslemian, D 61

Nakagawa, H 49
Nezu, I 49

Ouazzane, A K 187, 217, 225
Owen, I 41

Park, K-A 15
Peters, F 29

Reader-Harris, M J 101
Riley, S 201

Sattary, J A 101
Savage, P F 173
Siekmann, J 181, 295
Spearman, E P 101
Spencer, E A 3

Wenran, W 265
Wong, Y W 137
Wozniak, K 181, 295

Yong Yan 115
Yousif, A H 127, 201
Yunxian, T 265

Keyword Index

annular flow
phase Doppler anemometry, two-phase flow 21

boundary layer
hot-wire anemometer, laminar and turbulent flows, correlations 127
buoyancy convection
Schliereninterferometer, PIV 181

CFD
flowmeter, LDA 75
composition
custody transfer, natural gas 121
computation
velocity distributions, turbulence 3
Coriolis mass flowmeters
weight vectors, velocity profile effect 259
correlations
hot-wire anemometer, laminar and turbulent flows, boundary layer 127
critical flow venturi nozzles
steam, saturation, flowmeters 41
critical venturi nozzle
discharge coefficients, inlet radius 15
curved channel
Taylor–Goertler vortex, large-scale vortex, secondary-flow, turbulent stress, spectrum, measurement 93
custody transfer
natural gas, composition 121

database
orifice plate, discharge coefficient, tapping terms 101
discharge coefficient
orifice plate, database, tapping terms 101
discharge coefficient
upstream elbow, pressure taps 157
discharge coefficients
critical venturi nozzle, inlet radius 15
domestic water flow
domestic water meters, flow rates, water supply management, measuring errors, flow patterns 173
domestic water meters
domestic water flow, flow rates, water supply management, measuring errors, flow patterns 173
Doppler global velocimetry
system evaluation, problems 83

flow conditioner
flow straightener, installation effects 225
flow conditioner
flow straightener, installation errors 187
flow conditioning
flow meter, orifice, swirl 207
flow conditioning
installation effects, perforated plate, honeycomb 217
flow meter
orifice, swirl, flow conditioning 207
flow patterns
domestic water meters, domestic water flow, flow rates, water supply management, measuring errors 173
flow rate measurement
orifice noise, two-phase flow, phase fraction 265
flow rates
domestic water meters, domestic water flow, water supply management, measuring errors, flow patterns 173
flow straightener
flow conditioner, installation effects 225
flow straightener
flow conditioner, installation errors 187
flow
flume, thin plate weir, orifice, limits, uncertainty 283
flowmeter
CFD, LDA 75
flowmeter
gas, linearity 29
flowmeters
critical flow venturi nozzles, steam, saturation 41
flume
thin plate weir, flow, orifice, limits, uncertainty 283

gas
flowmeter, linearity 29

Hastings flowmeter
weight vector, thermal diffusion 149
honeycomb
flow conditioning, installation effects, perforated plate 217
hot-wire anemometer
laminar and turbulent flows, boundary layer, correlations 127
hot-wire probes
thermal anemometry, yaw-angle response 271

independence principle
yawed circular cylinder, non-uniformity 33
inlet radius
critical venturi nozzle, discharge coefficients 15
installation effects
flow conditioning, perforated plate, honeycomb 217
installation effects
flow straightener, flow conditioner 225

installation errors
flow straightener, flow conditioner 187
instrumentation
mass flow rate, pneumatic conveying, sensors, pulverized fuel 115

laminar and turbulent flows
hot-wire anemometer, boundary layer, correlations 127
large-scale vortex
Taylor–Goertler vortex, curved channel, secondary-flow, turbulent stress, spectrum, measurement 93
LDA
flowmeter, CFD 75
LDA
turbulence, unsteady open-channel flow 49
limits
flume, thin plate weir, flow, orifice, uncertainty 283
linearity
gas, flowmeter 29
linearity
vortex meter 235
liquid crystals
thermocapillary convection, PTV 295

mass flow rate
pneumatic conveying, sensors, pulverized fuel, instrumentation 115
measurement
Taylor–Goertler vortex, large-scale vortex, curved channel, secondary-flow, turbulent stress, spectrum 93
measurement
thin-film, temperature compensation 137
measuring errors
domestic water meters, domestic water flow, flow rates, water supply management, flow patterns 173

natural gas
custody transfer, composition 121
non-uniformity
yawed circular cylinder, independence principle 33

orifice noise
two-phase flow, flow rate measurement, phase fraction 265
orifice plate
discharge coefficient, database, tapping terms 101
orifice
flow meter, swirl, flow conditioning 207
orifice
flume, thin plate weir, flow, limits, uncertainty 283

perforated plate
flow conditioning, installation effects, honeycomb 217
phase Doppler anemometry
annular flow, two-phase flow 21
phase fraction
orifice noise, two-phase flow, flow rate measurement 265
PIV
buoyancy convection, Schliereninterferometer 181
PTV
thermocapillary convection, liquid crystals 295
pneumatic conveying
mass flow rate, sensors, pulverized fuel, instrumentation 115
pressure taps
upstream elbow, discharge coefficient 157
problems
Doppler global velocimetry, system evaluation 83
pulverized fuel
mass flow rate, pneumatic conveying, sensors, instrumentation 115

saturation
critical flow venturi nozzles, steam, flowmeters 41
Schliereninterferometer
buoyancy convection, PIV 181
secondary-flow
Taylor–Goertler vortex, large-scale vortex, curved channel, turbulent stress, spectrum, measurement 93
sensors
mass flow rate, pneumatic conveying, pulverized fuel, instrumentation 115
spectrum
Taylor–Goertler vortex, large-scale vortex, curved channel, secondary-flow, turbulent stress, measurement 93
steam
critical flow venturi nozzles, saturation, flowmeters 41
swirl
flow meter, orifice, flow conditioning 207
system evaluation
Doppler global velocimetry, problems 83

tapping terms
orifice plate, discharge coefficient, database 101
Taylor–Goertler vortex
large-scale vortex, curved channel, secondary-flow, turbulent stress, spectrum, measurement 93
temperature compensation
thin-film, measurement 137
thermal anemometry
hot-wire probes, yaw-angle response 271
thermal diffusion
weight vector, Hastings flowmeter 149
thermocapillary convection
liquid crystals, PTV 295
thin plate weir
flume, flow, orifice, limits, uncertainty 283
thin-film
measurement, temperature compensation 137
tomographic scanner
voidage distribution, two-phase flow 61
turbine meter
two-phase flow, void fraction 279
turbulence
LDA, unsteady open-channel flow 49
turbulence
computation, velocity distributions 3
turbulent stress
Taylor–Goertler vortex, large-scale vortex, curved channel, secondary-flow, spectrum, measurement 93
two-phase flow
orifice noise, flow rate measurement, phase fraction 265
two-phase flow
phase Doppler anemometry, annular flow 21
two-phase flow
tomographic scanner, voidage distribution 61
two-phase flow
turbine meter, void fraction 279

uncertainty
flume, thin plate weir, flow, orifice, limits 283
unsteady open-channel flow
turbulence, LDA 49
upstream elbow
pressure taps, discharge coefficient 157

velocity distributions
computation, turbulence 3
velocity profile effect
weight vectors, Coriolis mass flowmeters 259
void fraction
turbine meter, two-phase flow 279
voidage distribution
tomographic scanner, two-phase flow 61
vortex meter
linearity 235

water supply management
domestic water meters, domestic water flow, flow rates, measuring errors, flow patterns 173
weight vector
thermal diffusion, Hastings flowmeter 149
weight vectors
Coriolis mass flowmeters, velocity profile effect 259

yaw-angle response
hot-wire probes, thermal anemometry 271
yawed circular cylinder
non-uniformity, independence principle 33